Author Index

Aamlid, T.S. *see* Havstad, L.T.
Abberton, M.T. *see* Marshall, A.H.
Adesogan, A.T. and Salawu, M.B. The effect of different additives on the fermentation quality, aerobic stability and *in vitro* digestibility of pea/wheat bi-crop silages containing contrasting pea to wheat ratios 25
Agnew, R.D.M. *see* Sibbald, A.R.
Albrecht, K.A. *see* Owens, V.N.
Alison, M.W. *see* Venuto, B.C.
Ashbell, G. *see* Weinberg, Z.G.

Barthram, G.T., Marriott, C.A., Common, T.G. and Bolton, G.R. The long-term effects on upland sheep production in the UK of a change to extensive management 124
Beckwith, C.P., Lewis, P.J., Chalmers, A.G., Froment, M.A. and Smith, K.A. Successive annual applications of organic manures for cut grass: short-term observations on utilization of manure nitrogen 191
Bhogal, A. *see* Critchley, C.N.R.
Bolton, G.R. *see* Barthram, G.T.
Bruinenberg, M.H., Valk, H., Korevaar, H. and Struik, P.C. Factors affecting digestibility of temperate forages from seminatural grasslands: a review 292
Brukental, I. *see* Weinberg, Z.G.
Bugalho, M.N., Mayes, R.W. and Milne, J.A. The effects of feeding selectivity on the estimation of diet composition using the n-alkane technique 224

Carlen, C., Kölliker, R., Reidy, B., Lüscher, A. and Nösberger, J. Effect of season and cutting frequency on root and shoot competition between *Festuca pratensis* and *Dactylis glomerata* 247
Celaya, R. *see* Osoro, K.
Chalmers, A.G. *see* Beckwith, C.P.
Chambers, B.J. *see* Critchley, C.N.R.
Charmley, E. Intake, liveweight gain and feed preference by steers fed combinations of lucerne and Westerwolds ryegrass silages 11
Coléno, F.C., Duru, M. and Soler, L.G. A simulation model of a dairy forage system to evaluate feeding management strategies with spring rotational grazing 312
Common, T.G. *see* Barthram, G.T.
Critchley, C.N.R., Chambers, B.J., Fowbert, J.A., Bhogal, A., Rose, S.C. and Sanderson, R.A. Plant species richness, functional type and soil properties of grasslands and allied vegetation in English Environmentally Sensitive Areas 82
Crosse, S. *see* Dillon, P.
Crush, J.R., Ouyang, L., Eerens, J.P.J. and Stewart, A.V. The growth of roots of perennial, Italian, hybrid and annual ryegrasses through a high-strength root medium 322

Dalziel, A.J.I. *see* Sibbald, A.R.
Dawson, L.E.R., Kirkland, R.M., Ferris, C.P., Steen, R.W.J., Kilpatrick, D.J. and Gordon, F.J. The effect of stage of perennial ryegrass maturity at harvesting, fermentation characteristics and concentrate supplementation, on the quality and intake of grass silage by beef cattle 255
Dewhurst, R.J., Moorby, J.M., Scollan, N.D., Tweed, J.K.S. and Humphreys, M.O. Effects of a stay-green trait on the concentrations and stability of fatty acids in perennial ryegrass 360
Dillon, P., Crosse, S., O'Brien, B. and Mayes, R.W. The effect of forage type and level of concentrate supplementation on the performance of spring-calving dairy cows in early lactation 212
Donaghy, D.J. and Fulkerson, W.J. The impact of defoliation frequency and nitrogen fertilizer application in spring on summer survival of perennial ryegrass under grazing in subtropical Australia 351
Donaghy, D.J. *see* Rawnsley, R.P.
Duru, M. *see* Coléno, F.C.

Eerens, J.P.J. *see* Crush, J.R.

Fawcett, R.H. *see* González-Estrada, E.
Ferris, C.P. *see* Dawson, L.E.R.
Fowbert, J.A. *see* Critchley, C.N.R.
Froment, M.A. *see* Beckwith, C.P.
Fulkerson, W.J. *see* Donaghy, D.J.
Fulkerson, W.J. *see* Rawnsley, R.P.

Geber, U. Cutting frequency and stubble height of reed canary grass (*Phalaris arundinacea* L.): influence on quality and quantity of biomass for biogas production (Research Note) 389
Giberson, E. *see* Griffin, T.
Gökbulak, F. Effect of American bison (*Bison bison* L.) on the recovery and germinability of seeds of range forage species (Research Note) 395
González-Estrada, E., Fawcett, R.H. and Herrero, M. Integrating models of relative abundance of species with the dry-weight-rank method for the botanical analysis of forest understorey vegetation 171

Goodenough, D.C.W. *see* Hopkins, C.
Gordon, F.J. *see* Dawson, L.E.R.
Griffin, T., Giberson, E. and Wiedenhoeft, M. Yield response of long-term mixed grassland swards and nutrient cycling under different nutrient sources and management regimes 268

Harvey, A. *see* Rook, A.J.
Havstad, L.T. and Aamlid, T.S. Use of regrowth for forage in crops of timothy (*Phleum pratense* L.) cv. Grindstad grown for seed in Norway 147
Hen, Y. *see* Weinberg, Z.G.
Herrero, M. *see* González-Estrada, E.
Hopkins, C., Marais, J.P. and Goodenough, D.C.W. A comparison, under controlled environmental conditions, of a *Lolium multiflorum* selection bred for high dry-matter content and non-structural carbohydrate concentration with a commercial cultivar 367
Hossell, J.E. *see* Milne, J.A.
Humphreys, M.O. *see* Dewhurst, R.J.

Jacobs, J.L. *see* McKenzie, F.R.
Jensen, P. *see* Jung, J.
Jewiss, O. Editorial 303
Jones, I.P. *see* Milne, J.A.
Jung, J., Yngvesson, J. and Jensen, P. Effects of reduced time on pasture caused by prolonged walking on behaviour and production of Mpwapwa Zebu cattle 105

Keane, G.P. Agronomic factors affecting the yield and quality of forage maize in Ireland: effect of sowing date and plastic film treatment 3
Kilpatrick, D.J. *see* Dawson, L.E.R.
Kilpatrick, D.J. *see* Steen, R.W.J.
Kirkham, F.W. *see* Milne, J.A.
Kirkland, R.M. *see* Dawson, L.E.R.
Kölliker, R. *see* Carlen, C.
Korevaar, H. *see* Bruinenberg, M.H.
Kung Jr, L. *see* Ranjit, N.K.

Landau, Y.S. *see* Weinberg, Z.G.
Lane, P.A. *see* Rawnsley, R.P.
Laws, J.A. and Pain, B.F. Effects of method, rate and timing of slurry application to grassland on the preference by cattle for treated and untreated areas of pasture 93
Leshem, Y. *see* Weinberg, Z.G.
Lewis, P.J. *see* Beckwith, C.P.
Li, F.R., Zhao, A.F., Zhou, H.Y., Zhang, T.H. and Zhao, X. Effects of simulated grazing on growth and persistence of *Artemisia frigida* in a semiarid sandy rangeland 239
Lucas, R.J. *see* Peri, P.L.

Lücke, W. *see* Snell, H.G.J.
Lüscher, A. *see* Carlen, C.

McKenzie, F.R. and Jacobs, J.L. Effects of application of nitrogen fertilizer on concentrations of P, K, S, Ca, Mg, Na, Cl, Mn, Fe, Cu and Zn in perennial ryegrass/white clover pastures in south-western Victoria, Australia 48
McNeil, D.L. *see* Peri, P.L.
Marais, J.P. *see* Hopkins, C.
Marriott, C.A. *see* Barthram, G.T.
Marshall, A.H., Williams, T.A., Powell, H.G., Abberton, M.T. and Michaelson-Yeates, T.P.T. Forage yield and persistency of *Trifolium repens* × *Trifolium nigrescens* hybrids when sown with a perennial ryegrass companion 232
Martínez, A. *see* Osoro, K.
Maxwell, T.J. *see* Sibbald, A.R.
Mayes, R.W. *see* Bugalho, M.N.
Mayes, R.W. *see* Dillon, P.
Michaelson-Yeates, T.P.T. *see* Marshall, A.H.
Milne, J.A., Pakeman, R.J., Kirkham, F.W., Jones, I.P. and Hossell, J.E. Biomass production of upland vegetation types in England and Wales 373
Milne, J.A. *see* Bugalho, M.N.
Moorby, J.M. *see* Dewhurst, R.J.
Moot, D.J. *see* Peri, P.L.
Muck, R.E. *see* Owens, V.N.

Neuteboom, J.H. *see* Schulte, R.P.O.
Nösberger, J. *see* Carlen, C.

O'Brien, B. *see* Dillon, P.
Oberndorfer, C. *see* Snell, H.G.J.
Orr, R.J. *see* Rook, A.J.
Osoro, K., Martínez, A. and Celaya, R. Effect of breed and sward height on sheep performance and production per hectare during the spring and autumn in Northern Spain 137
Ouyang, L. *see* Crush, J.R.
Owens, V.N., Albrecht, K.A. and Muck, R.E. Protein degradation and fermentation characteristics of unwilted red clover and alfalfa silage harvested at various times during the day 329

Pain, B.F. *see* Laws, J.A.
Pakeman, R.J. *see* Milne, J.A.
Parsons, A.J. *see* Rook, A.J.
Penning, P.D. *see* Rook, A.J.
Peri, P.L., McNeil, D.L., Moot, D.J., Varella, A.C. and Lucas, R.J. Net photosynthetic rate of cocksfoot leaves under continuous and fluctuating shade conditions in the field 157

Peri, P.L., Moot, D.J., McNeil, D.L., Varella, A.C. and Lucas, R.J. Modelling net photosynthetic rate of field-grown cocksfoot leaves under different nitrogen, water and temperature regimes 61
Pitman, W.D. *see* Venuto, B.C.
Porter, M.G. *see* Steen, R.W.J.
Powell, H.G. *see* Marshall, A.H.

Ranjit, N.K., Taylor, C.C. and Kung Jr, L. Effect of *Lactobacillus buchneri* 40788 on the fermentation, aerobic stability and nutritive value of maize silage 73
Rawnsley, R.P., Donaghy, D.J., Fulkerson, W.J. and Lane, P.A. Changes in the physiology and feed quality of cocksfoot (*Dactylis glomerata* L.) during regrowth 203
Redfearn, D.D. *see* Venuto, B.C.
Reidy, B. *see* Carlen, C.
Rook, A.J. and Yarrow, N.H. Incorporating grazing behaviour measurements in models to predict herbage intake by grazing dairy cows 19
Rook, A.J., Harvey, A., Parsons, A.J., Penning, P.D. and Orr, R.J. Effect of long-term changes in relative resource availability on dietary preference of grazing sheep for perennial ryegrass and white clover 54
Rose, S.C. *see* Critchley, C.N.R.

Salawu, M.B. *see* Adesogan, A.T.
Sanderson, R.A. *see* Critchley, C.N.R.
Schulte, R.P.O. and Neuteboom, J.H. Advanced analysis of dry-weight-rank data to discriminate direct and indirect interactions between white clover and grasses in a multi-species pasture under a range of management strategies 113
Scollan, N.D. *see* Dewhurst, R.J.
Sibbald, A.R., Maxwell, T.J., Dalziel, A.J.I. and Agnew, R.D.M. The implications of controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 5. The effect of stocking rate and reduced levels of nitrogen fertilizer 33
Slater, J. R.J. Walton Slack - An appreciation 1
Smith, K.A. *see* Beckwith, C.P.
Snell, H.G.J., Oberndorfer, C., Lücke, W. and Van den Weghe, H.F.A. Effects of the colour and thickness of polyethylene film on ensiling conditions and silage quality of chopped maize, as investigated under ambient conditions and in mini-silos 342
Soler, L.G. *see* Coléno, F.C.
Steen, R.W.J., Kilpatrick, D.J. and Porter, M.G. Effects of the proportions of high or medium digestibility grass silage and concentrates in the diet of beef cattle on liveweight gain, carcass composition and fatty acid composition of muscle 279
Steen, R.W.J. *see* Dawson, L.E.R.
Steen, R.W.J. Effects on performance and carcass composition of turning beef cattle out to pasture early in the spring (Research Note) 401
Stewart, A.V. *see* Crush, J.R.
Struik, P.C. *see* Bruinenberg, M.H.

Taylor, C.C. *see* Ranjit, N.K.
Tweed, J.K.S. *see* Dewhurst, R.J.

Valk, H. *see* Bruinenberg, M.H.
Van den Weghe, H.F.A. *see* Snell, H.G.J.
Varella, A.C. *see* Peri, P.L.
Venuto, B.C., Redfearn, D.D., Pitman, W.D. and Alison, M.W. Seed variation among annual ryegrass cultivars in south-eastern USA and the relationship with seedling vigour and forage production 305

Weinberg, Z.G., Ashbell, G., Hen, Y., Leshem, Y., Landau, Y.S. and Brukental, I. A note on ensiling safflower forage (Research Note) 184
Wiedenhoeft, M. *see* Griffin, T.
Williams, T.A. *see* Marshall, A.H.

Yarrow, N.H. *see* Rook, A.J.
Yngvesson, J. *see* Jung, J.

Zhang, T.H. *see* Li, F.R.
Zhao, A.F. *see* Li, F.R.
Zhao, X. *see* Li, F.R.
Zhou, H.Y. *see* Li, F.R.